

# COUNTRY CLUB CHARCOAL GRILLS MAXI BARBEQUE!

Holstein Manufacturing is a family run business, that has been in the industry for over 30 years. Our commitment to quality and dedication to customer service is evident in every piece of equipment we make. Our goal is to meet and exceed all of our customer's expectations through the development of quality barbecue and trailer equipment.

2460C Carbon Steel Painted Black with Optional Stainless Steel Grate

NSF

NSF

NSF

HOLSTEIN

2460C with

**Optional Half Hood** 

JOLSTEIN

NSE

2448CSS All

**Stainless Steel** 

Construction with Stainless Steel

# **Models**

- 2448C or 2448CSS 24"x 48" cooking surface Weight: 120 lbs
- 2460C or 2460CSS 24" x 60" cooking surface Weight: 150 lbs

# **Standard Features**

- Grilling surface height: 36"
- Cooking grate adjusts up 6 levels in 1" increments
- Heavy 14 gauge steel construction
- Removable round steel pipe legs
- Mounted on caster wheels
- Removable black iron grate made of 5/16" rod

# Options

- Stainless steel grate made of 5/16 ss rod
- Stainless steel cabinet construction (SS)
- Half hood (black or stainless)
- Full hood (black or stainless)
- Stainless steel warming rack (fits inside half hood or full hood)
- Charcoal risers (black or stainless)
- 2448CSS & 2460CSS are NSF Listed and Certified

These grills are the sturdiest on the market. We use the charcoal grill with stainless steel grates to finish our meats or ribs at catering functions and festivals like "Taste of Chicago". These grills make us a top seller every year!

Charlie Robinson, Robinson's #1 Ribs (708) 383-1333 Oak Park, IL

2460CSS with Optional Full Hood

2460CSS with Optional

Stainless Steel Hood and Warming Rack

# COUNTRY CLUB GAS GRILLS MAXI BARBEQUE!

2448G Carbon Steel Painted Black

Removable



2472GSS All Stainless Steel Construction and Stainless Steel Grate



2472G with Optional Half Hood and Warming Rack

HOLSTEIN

2460GSS with

**Grease Deflectors** 

Full Hood

NSF

**Full Hood Gas** 

Half Hood with Warming Rack

**Features** 

The Country Club Grills are ideal for large outdoor parties, golf outings and summer gatherings. These grills are excellent for rental stores and heavy use catering operations where loading and unloading are vital.

### **Models**

- 2448G or 2448GSS
  - 24"X 48" cooking surface
- 2460G or 2460GSS
  - 24"X 60" cooking surface
- 2472G or 2472GSS 24" X 72 " cooking surface

# **Standard Features**

- Grilling surface height: 36"
- Removable stainless steel grate made of 5/16 ss rod
- Heavy 14 gauge construction
- Removable round steel pipe legs
- Mounted on caster wheels
- Three individually controlled pipe burners
- •16" x 24" stainless steel side shelf over burners
- One 40 lb. propane tank mounted on end (available in natural gas)
- Grease drip try under main cabinet
- Angle iron grease deflectors above burners
- Single stage regulator

# **Options**

- Stainless steel cabinet construction (SS)
- Half hood (black or stainless)
- Stainless steel warming rack
- (fits inside half hood or full hood)Full hood (black or stainless)
- includes automatic thermostat, pilot light, gas valve and hood mounted thermometer
- Drop down stainless steel front shelf
- 100 lb propane tank
- 2448GSS, 2460GSS, & 2472GSS are NSF Listed and Certified

Model	Length	Width	Height	BTU's	Weight
2448G / SS	48"	24"	36"	180,000	255
2460G / SS	60"	24"	36"	210,000	290
2472G / SS	72"	24"	36"	240,000	330

# **ROLL TOP GRILLS** MAXI BARBEQUE!



Our Roll Top Backyard Grill is perfect for backyard cookouts, country club steak fries, and many other outdoor grilling events. With its even heat distribution, the Roll Top Backyard Grill makes it easy for the amateur to grill like a pro.

- Grill dimensions: 24" wide x 30" long x 50" tall Weight: 190 lbs.
- 26" long x 21" wide removable stainless steel cooking grate
- Grilling surface height: 36"
- Removable 26" long x 10.5" wide warming rack set 7" above cooking grate
- Heavy 14 gauge steel construction
- Stainless steel side shelf
- Three individually controlled pipe burners...60,000 BTU
- Grease drip tray
- Temperature gauge
- Push button burner igniter
- Charcoal model also available
- 40 lb. propane tank optional
- Chicken skewer & rotisserie with motor optional
- Stainless steel cabinet construction (ss)- optional
- RTG2430 in stainless steel is NSF Listed and Certified

#### Model RTR3630 **Roll Top Rotisserie**

- Grill dimensions:
- 54" tall x 36" long x 30" wide Weight: 303 lbs.
- Four 29" x 8.5" rotating stainless steel racks
- Grilling surface height: 36"
- Heavy 14 gauge steel construction
- Removable stainless steel side shelf
- Five individually controlled pipe burners...100,000 BTU
- Grease drip tray
- Temperature gauge
- 110 volt, 2 RPM, electric rotisserie motor
- Automatic thermostat & pilot light
- Smoke box
- 40 lb. propane tank optional
- Stainless steel cabinet construction (ss)- optional
- RTR3630 in stainless steel is NSF Listed and Certified

#### Model - PAN2458 Pancake-Griddle Grill

- Griddle Dimensions: 24" wide x 58" long
- Grill Dimensions:
- 32" wide x 76"long x 36" tall
- Griddle is made of 1/4" plate
- Cabinet is made of heavy 14 gauge steel
- · Eight adjustable and individually controlled pipe burners...160,000 BTU
- Gas valve & pilot light
- 40 lb propane tank optional
- Stainless steel cabinet optional

**Optional Batter** Dispenser

Standard RTG2430 Roll Top Backyard Grill

RTG24 with

Optional Skewer

OLSTEIN

RTR3630 Roll Top Rotisserie

PAN2458 with

HOLSTEIN

Stainless

RTG2430


Steel

HOLSTEIN

NSF.

**PAN2458** 

HOLSTEIN



# TOWABLE GRILLS MAXI BARBEQUE!

#### Model 4830G (Gas) & Model 4830C (Charcoal - Not pictured) Barbeque Grill with Rotisserie - no trailer

- Cooking dimensions: 48" long x 30" wide
- Cooking area: 10 sq. ft
- Two 10" tires
- Available in natural gas optional
- Available in stainless steel (SS) optional
- Includes all standard trailer mounted grill features, excluding features relating to towing

# Model 4830GT(Gas) & 4830CT (Charcoal- not pictured)

#### Barbeque Grill with Rotisserie - on trailer

- Cooking dimensions: 48" long x 30" wide
- Cooking area: 10 sq. ft
- Available in stainless steel (SS)- optional
- Includes all standard trailer mounted grill features

### Model 7240C Charcoal Barbecue Grill with Rotisserie

- Cooking dimensions: 72" long x 40" wide
- Cooking area: 20 sq. ft
- Trailer dimensions: 129" long x 60" wide x 62" tall
- Available in stainless steel (SS) optional
- Includes all standard trailer mounted grill features

# Standard Trailer Mounted Towable Grill Features

#### All models (Gas & Charcoal)

- 36" grilling surface height
- Heavy 14 gauge steel construction
- Flip-up side doors
- Stainless steel grates from 5/16" ss rod
- Stainless steel rotisserie from 5/16" ss rod
- 110 volt, 2 RPM electric rotisserie motor
- Temperature gauge
- Grease drip tray under rotisserie
- Available in stainless steel (SS) optional
- 13" tires
- 1,800 lb. pay load per axle and fenders
- 2" trailer hitch & heavy duty jack
- Turn signals & brake lights with flat four-way plug

#### Gas models

- Automatic thermostat and pilot light
- Gas valve and gas regulator
- Adjustable and individually controlled pipe burners
- Angle iron grease deflectors above burners
- Swing-away lower door allows for easy cleaning and pilot light maintenance
- Removable wire mesh grill rock tray above burners
- Grease drip tray under grill frame
- 40 lb propane tanks

NA

# TOWABLE GRILLS MAXI BARBEQUE!

7240G with Hog Rotisserie and Optional Rear Serving Table

Our top-selling towable grill, the 7240G, is one of the most sturdy and reliable on the market. For quality cooking, the 7240G is the one for the job!

# Model 7240G Barbeque Grill with Hog Rotisserie

- Cooking dimensions: 72" long x 40"wide
- Cooking area: 20 sq. ft
- Overall dimensions: 140" long x 60" wide x 62" tall
- Includes all standard trailer mounted grill features

#### STANDARD TRAILER MOUNTED TOWABLE GRILL FEATURES All models

- 36" grilling surface height
- Heavy 14 gauge steel construction
- Stainless steel grates from 5/16" ss rod
- Stainless steel rotisserie from 5/16" ss rod
- 110 volt, 2 RPM electric rotisserie motor
- Flip-up side doors
- Temperature gauge
- Grease drip tray under rotisserie
- 13" tires
- 1,800 lb. pay load per axle and fenders
- 2" trailer hitch & heavy duty jack
- Turn signals & brake lights with flat four-way plug

#### Gas models

- Automatic thermostat and pilot light
- Gas valve and gas regulator
- Adjustable and individually controlled pipe burners
- Angle iron grease deflectors above burners
- Swing-away lower door allows for easy cleaning and pilot light maintenance
- Removable wire mesh grill rock trays above burners
- Grease drip tray under grill frame
- 40 lb propane tanks

#### See additional options on pages 10 and 11.

"The thing I love most about the **Model 7240G** is the versatility. I have cooked pancakes for breakfast with the pancake griddle option, hamburgers and steaks for lunch and rotisserie chicken or smoked ribs for dinner with the chicken rotisserie option. I have also used the **Model 7240G** to serve a five course meal. I replace a cooking grate with the stainless steel warming pan and within 8 minutes I have boiling water to serve clams for an appetizer. Later I use that same water to boil lobsters while I cook steaks. Baked potatoes and corn are cooking on the other side. Holstein Manufacturing recently added a rear mounted utility stove option that would have made my life even easier back in 1979 when I bought my first grill. Heating soup to boiling fish and seafood on that stove just magnifies the versatility that was already in place. I have been a customer for 30 years and I have not found a better product.

Bill Wall, Billy Bones BBQ Sanford, Michigan (989) 687-7880 Grilling Turkey Legs on a 7240G

HOLSTEIN



HOLSTEI

Removable Rotisserie with Whole Hog



7240G with Hog Rotisserie and Optional: • Rear Table • Cooler • Side Shelf • Spare Tire

# **TRAILER MOUNTED TOWABLE GRILLS** MAXI BARBEQUE!

### Model 7240GSS Stainless Steel Gas Barbeque Grill with Rotisserie

- Cooking dimensions: 72" long x 40" wide
- Cooking area: 20 sq. ft
- Trailer dimensions:  $140^{\circ}$  long x 60° wide x 62° tall
- Stainless steel cabinet (SS)
- NSF Listed and Certified
- Includes all standard trailer mounted grill features

### Model 7240G - no trailer Gas Barbeque Grill with Rotisserie

- Cooking dimensions: 72" long x 40" wide
- Cooking area: 20 sg. ft
- Overall dimensions: 86" long x 40" wide x 62" tall
- Mounted on four heavy duty casters or flat steel pads
- Available in natural gas optional
- Includes all standard trailer mounted grill features, excluding features relating to towing

#### Model 7240GSS - no trailer Stainless Steel Gas Barbeque Grill with Rotisserie

- Cooking dimensions: 72" long x 40" wide
- Cooking area: 20 sq. ft
- Overall dimensions: 86" long x 40" wide x 62" tall
- Mounted on four heavy duty casters or flat steel pads
- Available in natural gas optional
- NSF Listed and Certified
- Includes all standard trailer mounted grill features, excluding features relating to towing

Model	7240C	7240G or 7240GSS	7240G or 7240GSS No Trailer
Features			
Cooking dimensions (I x w)	72" x 40"	72" x 40"	72" x 40"
Square feet cooking area	20	20	20
Trailer dimensions (I x w x h	129 x 60 x 62	140 x 60 x 62	86 x 40 x 62
Weight - Ibs	1020	1260	960
Tires & size	2 - 13"	2 - 13"	4 - heavy casters
Stainless steel grates	4	4	4
Stainless steel rotisserie & motor	1	1	1
Flip-up side doors	2	2	2
Temperature gauge	1	1	1
Gas Features			
Total BTU's	NA	320,000 BTU	320,000 BTU
Individually controlled pipe burners	NA	4	4
40 lb propane tanks	NA	2	0
Gas valve & gas regulator	NA	1	1
Automatic thermostat & pilot light	NA	1	1
Grease drip tray under grill frame	NA	1	1

# L

7240GSS With **Rear Table** 

NSF.)

D038337

With

7240GSS

Optional

**Rear Table** 

7240G





HOLSTEIN

**Pilot Light** and Runner **Pilot** Assembly

**Burner Pipe with** Air Mixer & Brass **Gas Valve** 







# TOWABLE GRILLS MAXI BARBEQUE!

7260G Two Hog Rotisseries

Catering a convention or working a county fair, you can be ready for the crowds with the Maxi Barbeque 7260G. The dual rotisseries allow you the capability to cook two hogs or fourteen 20 lb. roasts at the same time. What a time saver!

# Model 7260G

#### **Double Wide Gas Barbeque Grill with Two Rotisseries**

- Cooking dimensions: 72" long x 60" wide
- Cooking area: 30 sq. ft
- Overall dimensions: 140" long x 80" wide x 62" tall
- Includes all standard trailer mounted grill features

#### Model 7260GSS Stainless Steel Double Wide Gas Barbeque Grill with Two Rotisseries

- Cooking dimensions: 72" long x 60" wide
- Cooking area: 30 sq. ft
- Overall dimensions: 140" long x 80" wide x 62" tall
- Stainless steel cabinet (SS)
- Includes all standard trailer mounted grill features

Barbecue in the southern style, whether you want to use gas or charcoal this roll top is for you.

#### Model 7238G

#### Southern Style Gas Barbeque Grill with Rotisserie

- Cooking dimensions: 72" long x 38" wide
- Cooking area: 19 sq. ft
- Trailer dimensions: 140" long x 60" wide x 62" tall
- One door rolled 14 gauge barrel construction
- Includes all standard trailer mounted grill features

#### Model 7238C (Not pictured)

#### Southern Style Charcoal Barbeque Grill with Rotisserie

- Cooking dimensions: 72" long x 38" wide
- Cooking area: 19 sq. ft
- Trailer dimensions: 129" long x 60" wide x 62" tall
- One door rolled 14 gauge barrel construction
- Includes all standard trailer mounted grill features

Model	7260G & 7260GSS	7238G	7238C	1240G & 1240GSS
Features				
Cooking dimensions (1 x w)	72" x 60"	72" x 38"	72" x 38"	144" x 40"
Square feet cooking area	30	19	19	40
Trailer dimensions (1 x w x h)	140 x 80 x 62	140 x 60 x 62	129 x 60 x62	239 x 60 x 62
Weight - lbs	1750	1260	1020	2320
Tires & size	2 - 13"	2 - 13"	2 - 13"	4 - 13"
Stainless steel grates	4	4	4	8
Stainless steel rotisserie & motor	2	1	1	2
Flip-up side doors	2	rolled barrel door	rolled barrel door	4
Temperature gauge	2	1	1	2
Gas Features				
Total BTU's	480,000 BTU	320,000 BTU	NA	640,000 BTU
Individually controlled pipe burner	6	4	NA	8
40 lb propane tanks	4	2	NA	4
Gas valve & gas regulator	2	1	NA	2
Automatic thermostat & pilot light	2	1	NA	2
Grease drip tray under grill frame	2	1	NA	2

7238G With Optional Rear Table

NAZI-BARREGIE

HOLSTEIN

7260GSS with Optional

**Rear Table** 

----

1240G with Optional Warming Grate & Side Tables

1240G with

Optional Rear Serving Table

CLUB

ATHLETES HELPING ATHLETES

sd

# TOWABLE GRILLS CONOCO Phillips BARBEQUE!

#### Model 1240G 12 Foot Long Gas Barbeque Grill with Two Rotisseries

- Cooking dimensions: 144" long x 40" wide
- Cooking area: 40 sq. ft
- Trailer dimensions: 239" long x 60" wide x 62" tall
- Stainless steel (SS) cabinet optional
- Includes all standard trailer mounted grill features

# Standard Trailer Mounted Towable Grill Features

### All models (Gas & Charcoal)

- 36" grilling surface height
- Heavy 14 gauge steel construction
- Stainless steel grates from 5/16" ss rod
- Stainless steel rotisserie from 5/16" ss rod
- 110 volt, 2 RPM electric rotisserie motor
- Flip-up side doors
- Temperature gauge
- Grease drip tray under rotisserie
- 13" tires
- 1,800 lb. pay load per axle and fenders
- 2" trailer hitch & heavy duty jack
- Turn signals & brake lights with flat four-way plug

### Gas models

- Automatic thermostat and pilot light
- Gas valve and gas regulator
- Adjustable and individually controlled pipe burners
- Angle iron grease deflectors above burners
- Swing-away lower door allows for easy cleaning and pilot light maintenance
- Removable wire mesh grill rock trays above burners
- Grease drip tray under grill frame
- 40 lb propane tanks

#### Model 9640 Adjustable Grate Charcoal Barbeque Grill

- Cooking dimensions: 96" long x 40 wide"
- Cooking area: 26.5 sq. ft
- Overall dimensions:168" long x 60" wide x 36" tall
- Two leveling jacks raise and lower grates
- One wire mesh grate
- Includes all standard trailer mounted grill features

See additional options on pages 10 and 11.



# BARBEQUE! EQUIPMENT OPTIONS

#### A. Rear Mounted Serving Table

• 40" x 16" permanent stainless steel table

#### B. Side Mounted Serving Table

• 30" x 10" removable stainless steel table

#### C. Standard Stainless Steel Grates

• Welded 5/16" stainless steel rods

#### D. Stainless Steel Hog/Lamb/Roast Rotisserie

- Available for every barbeque having rotisserie capabilities
- Holds seven 10 lb. roasts or one 185 lb. roasting pig

#### E. Chicken Rotisserie with Baskets

- Available for every barbeque having rotisserie capabilities
- Each stainless steel chicken rotisserie can hold eight chicken baskets having the capacity to hold 48 chickens and or smaller cuts of meat
- Basket size: 31" long x 6" wide

#### F. Chicken Rotisserie with Skewers

- Available for every barbeque having rotisserie capabilities
- Each stainless steel chicken rotisserie can hold 12 skewers having the capacity to hold approx. 72 whole chickens or 18 slabs of ribs

#### G. Individual Stainless Steel Skewer

- Custom made skewers available
- Available for every barbeque having rotisserie capabilities
- Adjustable skewers hold meat (large beef rounds, pork roasts, or pork hams) on 1" spit

#### H. Pancake Griddle

- Heavy duty construction which cooks evenly & is easy to clean
- Made to fit in place of any grate or customized to meet your specifications
- Available in stainless steel

### I. Double Boiler Steam Holding Pans


- Stainless steel construction
- Capable to sit on mesh grates in barbeque while keeping food hot without drying

























#### J. Smoker Box

• Fill smoker box with hickory or apple wood chips to add flavoring and insert within barbeque, 24" long x 8" wide x 4 deep

#### K. Stainless Steel Rib Rack

• 24" long x 13" high x 3" wide

#### L. Stainless Steel Holding and Warming Grate

- Excellent for keeping food warm for serving
- Fit in place of rotisserie

#### M. Heat Tempered Window • 36" long x 15" wide

#### N. Spare Tires

• 13" tires (ST175/80R13)

#### O. Cooler

- Double walled stainless steel cabinet with 1" insulation
- Stainless steel drain, top loading lid with hinge
- 36" long x 18" wide x 20" tall

#### P. Propane Utility Stove

- Shown mounted on rear of Model 7240G grill
- Two individually controlled 60,000 BTU burners

#### **Q.** *Rear Smoker* • 14" long x 8" wide x 4" deep


#### **R.** Canvas Cover and Frame

• Shown mounted on Model 1240G grill

#### S. Stainless Steel Grill Sign • 20" tall

#### T. Sweet Corn Balloon with Blower

• Dimensions: 40" base x 9' tall









Τ.

# CHICKEN & RIB COOKERS Dual Systems Smoker/Convection Oven

HOLSTEIN

#### Model 600 Chicken, Rib, & Beef Cooker w/ Smoker (Portable Unit)

- Oven dimensions: 72" wide x 120" long x 77" high
- Road dimensions: 92" wide x 190" long x 110" high
  Weight: 6,200 lbs.
- Five individually controlled pipe burners...400,000 BTU
- 32 removable racks, 16 regular & 16 piggy-back, 11 1/2" wide x 60" long
- Three warming tray racks, holds 18 stainless steel warming pans
- Heat tempered window
- Includes Standard Chicken & Rib cooker features
- Tubular smoker with outside entry door and Wayne burner
- Model 600 Chicken, Rib & Beef Cookers are NSF Listed and Certified.

#### **Cooking Capabilities:**

600 whole chickens 210 slabs of pork ribs 1400 lbs. pork loin 1140 chicken quarters 700 ears of corn 1500 lbs. of beef 1100 hamburgers 1140 pork chops NSF



Door to pilot light, burners and gas valve

**NSF** 



Grilling Turkey Legs on a Model 600

Brian Willi, Traditions Restaurant Harrisonburg, VA (540) 438-0301 Model 600 w/ smoker



# CHICKEN & RIB COOKERS Dual Systems Smoker/Convection Oven

# Model 400 – Chicken, Rib, & Beef Cooker w/ Smoker

Whether it's pizza, hamburgers, potatoes, steaks, lobsters, clams or the familiar chicken and ribs, you'll be sure to take top honors when you have the Maxi Cookers in your corner. These cookers were designed with the serious caterer in mind. Even-heating in these stainless steel units will allow you to prepare for any size gathering.



Model 400

- Oven dimensions: 72" wide x 120" long x 48" high
- Road dimensions: 92" wide x 190" long x 80" high
- Weight: 4,000 lbs.
- Four individually controlled pipe burners...320,000 BTU
- 24 removable racks, 12 regular & 12 piggy-back
- One warming tray rack, holds 6 stainless steel warming pans, 11 1/2" wide x 60" long
- Includes Standard Chicken & Rib Cooker features
- Model 400 Chicken and rib cookers are NSF Listed and Certified.

#### STANDARD CHICKEN & RIB COOKER FEATURES

- Double walled stainless steel with 2" insulation
- Foot switch for forward or reverse rack rotation
- Fold-away stainless steel rear prep table
- Automatic hydraulic closing latches
- Automatic thermostat & pilot light
- One 1HP electric motor
- 2" trailer hitch & heavy duty jack stand
  Turn signals & brake lights with flat four-way plug
- 14" Tires
- Tubular smoker with outside entry door and Wayne burner

### Model 400 - no trailer Chicken & Rib Cooker

- Oven dimensions: 72" wide x 70" tall x 60" deep
- Outside dimensions: 81" wide x 80" tall x 70" deep.
- 16 removable racks, eight regular racks, & eight piggy-back, 11 1/2" wide x 60" long
- Two individually controlled pipe burners...160,000 BTU
- Includes Standard Chicken & Rib Cooker features
- Model 400 Chicken and rib cookers are NSF Listed and Certified.



"The Model 600 Chicken Rib & Beef Cooker has made our business grow from one model eleven years ago to six units today. The Model 600 has the capability of cooking 780 quarters of chickens on the racks and 320 quarters on the warming shelves for a total of 1140 quarters. This unit also has the capability of cooking 30 cases of 2 1/2 lbs. and down size St. Louis Style Ribs, 70 whole turkeys (weighing 15 lbs. each), 1,400 lbs. of pork loins, 960 Las Vegas Stuffed Flounder, 240-6" pizzas, or 1,000 biscuits. I am also able to hold three whole hogs in the holding and warming section. The Model 600 has been the success of our business. Our business continues to grow and Holstein Manufacturing has provided us with reliable and durable products through the years.

Tom Perryman Country Caterers, BBQ, Inc. Keystone Heights, Florida (352) 473-3728

# CHICKEN & RIB COOKERS Dual Systems Smoker/Convection Oven

MAXI

Cooker

MAXI

# Model 250

# Chicken, Rib & Beef Cooker w/Smoker

The newest kid on the block is the model 250 chicken & rib cooker. Built with the same high quality materials and standards as the model 600 and 400. This convection oven with rotating baskets has the ability to smoke with the optional smoker.

- Oven dimensions: 84" long x 54" wide x 48" tall
- Road dimensions: 13' long x 84" wide x 86" tall
- Weight: 3,000 lbs.
- Four individually controlled pipe burners... 320,000 BTU's
- 20 removable racks, 10 regular racks & 10 piggy-back racks
- Double walled stainless steel with 2" insulation
- Foot switch for forward or reverse rack rotation
- Fold-away stainless steel rear prep table
- Automatic hydraulic closing latches
- Automatic thermostat & pilot light
- One 1HP electric motor
- 2" trailer hitch & heavy duty jack stand
- Turn signals & brake lights with flat four-way plug
- 13" Tires
- Tubular smoker with outside entry door and Wayne burner-optional

# **Cooking Capabilities:**

- 240 whole chickens
- 80 slabs of pork ribs
- 560 lbs of pork loin
- 460 chicken quarters
- 280 ears of corn
- 600 lbs of beef
- 440 hamburgers
- 460 pork chops



# **STAINLESS STEEL CONVECTION SMOKERS AND FRYERS**

### **Convection Smoker** Sizes: 4'x4'x4' - Model 444 5'x5'x5' - Model 555

The Convection Smoker is ideal for large outdoor parties, golf

- 14 gauge stainless steel inside
- 16 gauge polished stainless steel outside
- Double walled stainless steel with 2" insulation
- Five stainless steel wire mesh trays holds 20 pans
- Automatic thermostat & pilot light
- Tubular smoker with outside entry door & 250,000 BTU
- Two circulating fans
- Automatic hydraulic closing latches
- Available in LP or natural gas
- Removable access door
- Four heavy duty casters
- Convection smokers are NSF Listed and Certified.

Model 444 Convection Smoker



**Deep Fat Fryer with Optional Shelves and Optional Basket Rack Holder** 

### **Model 4526 Deep Fat Fryer**

Great for all your fried foods. Funnel Cakes, Elephant Ears, French Fries, Onion Rings...or as a three-pan warmer.

- Exterior dimensions: 45" long x 26" wide x 36" tall
- Interior dimensions: 38.5" long x 19.5" wide
- Weight: 350 lbs.
- Double walled stainless steel cabinet
- 2" insulation on all three serving sides
- Automatic thermostat & pilot light
- High/low temperature limit switch
- Holds three stainless steel warming pans
- Holds approx. 10-15 gallons (140 lbs.) cooking oil
- 40 lb. propane tank optional
- Deep fat fryer is NSF Listed and Certified.
- Stainless Steel lid optional
- Front shelf: 8" wide x 45"
- Removable basket rack
- Two side shelves: 14" long



**Deep Fat Fryer Cooking Cavity** 



NSF.

D038337

# SWEET CORN ROASTER **& POTATO COOKERS** NSF.)

Model 306 with optional four sinks, waste water tank, hot water storage and cooler

038337

# Model 306

Our Maxi Sweet Corn Roaster and Potato Cooker is the food concession answer. Corn on the cob and potatoes serve the health conscious public and is in demand year-round throughout the country. At any gathering, people will line up to experience great tasting corn and potatoes roasted in the Maxi Sweet Corn Roaster and Potato Cooker.

#### **Cooking Capabilities:**

600 ears of corn per hour 600 baked potatoes per hour

Other products: stuffed chili peppers, half apples, half peaches, mini pizzas, mini fruit pies

- Oven dimensions: 46" wide x 101" long x 60" high
- Road dimensions: 66" wide x 144" long x 81" high
- Weight: 2200 lbs.
- Self-unloading automatic trip device
- Stainless steel cabinet construction using 16 gauge outside & 14 gauge inside
- 1" insulation
- Four individually controlled pipe burners...320,000 BTU
- Automatic thermostat & pilot light
- 54 stainless steel racks

customized paint

option

- Two 100 lb. propane tanks
- 110 volt, 2 RPM electric motor
- Removable chassis for easy maintenance
- 2" trailer hitch & heavy duty jack
- Turn signals & brake lights with flat four-way plug
- Sweet corn & potato roaster is NSF Listed and Certified

#### **Customized Options:**

- Hot water storage tank holds 14 gallons
- Stainless steel 4-compartment sink
- Stainless steel waste water holding tank holds 18 gallons

HOLSTEIN

- Stainless steel cooler,
- 36" long x 18" wide x 20" tall
- 13" spare tire
- Custom paint

Model 306 Sweet Corn **Roaster and Potato** Cooker is pictured in operational position while unloading corn into coolers

Removable chassis for easy servicing of chains and bearings




NSF D038337

"The Holstein Mfg. Sweet Corn Roaster is durably constructed, easy to maintain, and portable. The machine roasts corn perfectly; the best cooker technology on the market. The model has the capacity to roast 550 ears of corn per hour. At one festival, we served an average of 288 ears per hour for 10 straight hours. At \$2.00 per ear, that's one heck of a day's work!"

> Ben Merril, Raleigh, North Carolina (919) 550-6060 • (919) 848-2215 home

# **SWEET CORN ROASTER & POTATO COOKERS**



**Blower** 

# Model 150

A smaller version of the Model 306.

- Dimensions: 36" wide x 60" tall x 48" deep
- Weight: 1050 lbs.
- Self-unloading trip device
- 33 stainless steel racks
- One 100 lb. propane tank
- 110 volt, 2 RPM electric motor
- · Removable chassis for easy maintenance
- Four heavy duty casters
- Capacity approximately: 275 ears of corn per hour
- Sweet corn & potato roaster is NSF Listed and Certified

# Gazebo

- Junior Gazebo and Deluxe Gazebo will fit in a 10' x 10' space. An attractive and functional way to market your product.
- Two person setup in less than 10 minutes!
- Junior Gazebo features a fully assembled frame, unprinted vinyl top & skirt, five carrying cases, and three 48" x 19" counters
- Deluxe Gazebo features a fully assembled frame, unprinted vinyl top & skirt, seven carrying cases, and five 48" x 19" counters
- Printed skirt and/or top (optional)

**Dimensions:** Widest Point: 10' Flat Sides: 8'9" Center Height: 8'6" Counter Height: 38" Base Weight: Junior Gazebo: 180 lbs. Deluxe Gazebo: 215 lbs.

#### Sweet Corn Balloon with Blower

- Dimensions: 40" base x 9' tall
- Balloon is made of colorful, durable vinyl
- Blower is a commercial unit used to keep the balloon expanded with air
- Excellent for eye catching product advertisement





# SODA & CONCESSION TRAILERS

Pop trailer or full service concession trailer the answer is up to you. Concession trailers are custom built to meet the demands of each individual. We want each trailer to be as unique as the owner and the occasion it serves. We start with the premise of a standard pop trailer and build from there. Features and options that make each trailer one of a kind are:

- 7' or 8' width and various lengths
- Tubular steel frame and upright supports
- Aluminum siding exterior
- Aluminum diamond plate floor
- Axles and tires depend on application
- Interior lights
- Electric panel
- Electric outlets
- Serving windows with screens, glass or both
- Leveling jacks on four corners
- Insulation in walls and ceilings
- Aluminum siding interior
- Air conditioning
- Removable tongue and hitch
- Fresh and waste water tanks
- Stainless steel sinks
- Stainless steel counters inside or outside
- Electric hot water heater and pump
- LP gas tank & hook up
- Exhaust hood and fan
- Cooking equipment- grills and fryers
- Concession and flatbed trailer combination





Broaster Farms Kitchen B. Broaster Farms Kitchen

Broaster Farms Kitchen

# HYDRAULIC LEVEL LOADING 4 in 1 Level Loading Trailer TRAILERS (HI-LO)





#### **Standard Features**

- 4" x 10" rectangular tube frame
- Solid rubber isolator for suspension
- Electric brakes
- Diamond floor plate
- Hydraulic cylinder
- DC power up & down hydraulic power system
- 12 volt marine battery
- Tires are 215-75R17.5 with 4805 lb and "H" rating
- Breakaway kit
- 7 wire lighting connector
- Tailgate bar with lights
- Safety latch
- Jack stand
- 2-5/16" adjustable height hitch
- Tie down D rings
- Construction yellow paint (other colors available)
- Deck lowers level to the ground
- One person needed for loading & unloading
- 12" ground clearance when loaded

### 4 in 1 Level Loading Trailer

- Deck can be unloaded at any height between ground and dock height
- Two out riggers on frame for loading and unloading stability
- Deck can tilt at a dumping angle for material unloading
- 12,000 lbs. net load carrying capacity
- Floor length/total length: 12'/21', 14'/23', 16'/25', or 18'/27'
- Total width: 102"
- Inside width: 74"

### **Hi-Lo Trailer**


- Single Axle 6,000 lbs. net load carrying capacity
- Tandem Axles 12,000 lbs. net load carrying capacity
- Floor length/total length: 10'/15', 12'/17', 14'/19', or 16'/21'
- Total width: 101"
- Inside width: 74"

#### **Options**

- Surge brake actuator
- Winch
- Spare Tire
- Toolbox
- Fully enclosed trailer Aluminum roll top door or side swing door

**Rear Safety Bar & Lights** 







#### **Adjustable Height** Hitch

**Fully Enclosed Trailer** with Roll Top Door





DC Power Up & Down ydraulic System

**D-Ring** 

**Heavy Duty** 

**Stainless Steel Barbeque Grill with Holding & Warming Grate** Model 7240GSS

Presorted Standard US Postage Paid Holstein, IA Permit No. 3

or current resident

Conoco Phillips

NSF.

003833



in CUSTOM designs. Visit our wesite for new designs or used equipment.

**1240G with Optional** Warming Grate & **Side Tables** 

sd

MFG. 5368 110th Street

Holstein, Iowa 51025-9539

Roll Top **Backyard Grill** 

Standard **RTG2430** 

HOLSTEIN

#### **Royal Flush Dunk Tank**

- Park dimensions: 48" wide x 48" long x 84" tall
- Trailer dimensions: 68" wide x 144" long x 100" tall
- Weight: 800 lbs.
- Enclosed in clear Lexon plastic
- · Heavy duty plastic floor panels
- Ground fault 110 volt interrupter
- Water pump
- Self-contained water system, runs on approx. 30 gallons
- The "Royal Flush" comes with softball target
- Basketball target (optional)
- Fiberglass toilet folds down for road travel
- Netting attachment folds & is carried on trailer
- · Can be used on or off trailer

04/2009

800-368-4342 • www.holsteinmfg.com hmi@holsteinmfg.com 

HOLSTEIN

**Stainless Steel** 

**Deep Fat Fryer** 

Model 4526