



## STEEL RACK PROGRAM

Racks are returnable, and stackable for storage

Can accommodate weight up to 5000lbs

**Suitable ONLY for packaging of heat treated products.**  
Not recommended for packaging of annealed products

JEB rack types 4 & 5 will be loaded with traffic flow and **MUST be loaded for side unloading.** Rack types 1, 2, & 3 recommended for loading against traffic and require facility to have loading dock and tailgate unload

**Rack types 4 & 5 require a rack agreement.** Customer is responsible for the care and return of racks; though each job is negotiable. (Backhaul arrangement may be possible depending on market location).

All rack types are designed for handling with fork truck

Limits - Typically up to 12 racks per trailer. Weight will be maximized per rack in order to get required 44,000lbs on trailer; i.e. suitable for High Volume and/or similar sizes only.



**METAL RACK AGREEMENT**

This agreement is made and entered into this \_\_\_\_ day of \_\_\_\_\_, 200\_\_ by and between J. E. Berkowitz, L.P. (JEB) and \_\_\_\_\_ (Customer).

Customer has requested the material to be packed and delivered on metal racks. JEB is willing to provide these racks and use them to accommodate the customer pursuant to the terms and conditions described below.

JEB will supply Customer, without charge, metal racks of the type and number necessary, at JEB's discretion, to support the delivery of the material needed for individual projects. All of the racks supplied by JEB shall remain the sole property of JEB and shall not be subject to any security interest of the customer or its creditors. JEB will maintain these racks as required with no cost to Customer provided the racks have not been damaged by the acts or omission of the Customer. During the period of time the racks are in the possession or custody of the customer, the Customer will be liable to JEB for any damages caused by the negligence or misuse of the racks by Customer, its employees, agents, contractors and the like.

Customer will not use the racks for internal business operations or for any purpose other than receipt of material sent to the Customer's facility and/or jobsite by JEB.

Unless stipulated otherwise, JEB will provide transportation to return the empty racks to its factory in Pedricktown, New Jersey.

Because, these racks are an integral part of JEB operations, the timeliness of the return of the racks is very important and they must returned to our factory within 60 calendar days after receipt of the material and racks. If the Customer fails to return the racks within 60 days of delivery, JEB may, without court order or prior notice to Customer, during regular business hours, be permitted to enter Customer's premises for the purpose of retrieving said racks. In such case, Customer shall be liable for JEB's costs in connection therewith.

JEB will maintain a record of the racks and will ask the customer to acknowledge either receipt or return of these racks by signing for them on a separate delivery ticket. On this delivery ticket, the specific serial number of the rack will be noted and we ask that you verify that the serial number on the racks is the same as on the delivery ticket.

In the event the racks are not returned, JEB is due \$1,200 per rack.

TERMINATION – Either JEB or Customer may terminate this agreement within 30 days written notice and, in the event of termination, Customer must promptly return all racks to JEB in good condition.

If the racks are not returned or are damaged (beyond normal wear and tear), JEB shall be entitled to exercise any remedy at law and the Customer shall be responsible for all reasonable amounts expended by JEB, including attorney fees and costs in connection therewith.

If it becomes necessary to leave JEB Insulated Glass Units (IGU) and/or monolithic glass (lites) on a rack for an extended period of time prior to glazing and/or unitizing JEB recommends that the IGU and/or lites be stored indoors, in a dry, well ventilated space. If indoor storage is not available and the units and/or lites must be stored outside on racks they MUST be tarped and sealed so that there is no water penetration and JEB also recommends that the racks be raised off of the ground in the event water may accumulate underneath.

This agreement constitutes the entire understanding between JEB and the Customer and shall not be modified, amended or altered except in writing signed by each of the parties.

J. E. BERKOWITZ, L.P.

CUSTOMER

By: \_\_\_\_\_

By: \_\_\_\_\_

Title: \_\_\_\_\_


Title: \_\_\_\_\_

Print Name: \_\_\_\_\_


Print Name: \_\_\_\_\_

## JEB - Rack Type 1

**Front View**



**Side View**



Rack Type	Height	Width	Depth	# 1" IG Units
1	40	36	36	30


Rack Weight: 323 lbs
Total Capacity: 4,000 lbs

## JEB - Rack Type 1




## JEB - Rack Type 2

**Front View**




**Side View**



Rack Type	Height	Width	Depth	# 1" IG Units
2	42	80	32	25


Rack Weight: 350 lbs
Total Capacity: 4,000 lbs

## JEB - Rack Type 2




### JEB - Rack Type 3

**Front View**




**Side View**



Rack Type	Height	Width	Depth	# 1" IG Units
3	72	84	12	11

Rack Weight: 560 lbs
Total Capacity: 4,500 lbs


## JEB - Rack Type 3






## JEB - Rack Type 4

Front View



Side View



Rack Type	Height	Width	Depth	# 1" IG Units
4	72	120	16	14


Rack Weight: 625 lbs
Total Capacity: 5,000 lbs

## JEB - Rack Type 4




## JEB - Rack Type 5

**Front View**



**Side View**



Rack Type	Height	Width	Depth	# 1" IG Units
5	72	96	32	25

Rack Weight: 510 lbs
Total Capacity: 5,000 lbs

## JEB - Rack Type 5

